

Pediatric Symptom Checklist-17 (PSC-17)

Caregiver Completing this Form: _____ Date: _____

Name of Child: _____

		Please mark under the heading that best fits your child			For Office Use		
		NEVER	SOME-TIMES	OFTEN	I	A	E
1.	Fidgety, unable to sit still						
2.	Feels sad, unhappy						
3.	Daydreams too much						
4.	Refuses to share						
5.	Does not understand other people's feelings						
6.	Feels hopeless						
7.	Has trouble concentrating						
8.	Fights with other children						
9.	Is down on him or herself						
10.	Blames others for his or her troubles						
11.	Seems to be having less fun						
12.	Does not listen to rules						
13.	Acts as if driven by a motor						
14.	Teases others						
15.	Worries a lot						
16.	Takes things that do not belong to him or her						
17.	Distracted easily						
(scoring totals)							

Scoring:

- Fill in unshaded box on right with: "Never" = 0, "Sometimes" = 1, "Often" = 2
- Sum the columns.
 PSC17 Internalizing score is sum of column I
 PSC17 Attention score is sum of column A
 PSC17 Externalizing score is sum of column E
 PSC-17 Total Score is sum of I, A, and E columns

Suggested Screen Cutoff:

- PSC-17 - I ≥ 5
- PSC-17 - A ≥ 7
- PSC-17 - E ≥ 7
- Total Score ≥ 15

Higher Scores can indicate an increased likelihood of a behavioral health disorder being present.

PSC-17 may be freely reproduced.

Created by W Gardner and K Kelleher (1999), and based on PSC by M Jellinek et al. (1988)
 Formatted by R Hilt, inspired by Columbus Children's Research Institute formatting of PSC-17